



Quantum
Lift

12806 170 Street, Unit 16 Edmonton, AB T5L 1H7
Phone: 780-628-0845 www.quantumlift.ca

ATLAS Apex 8 Extra Long & Extra Tall Hobbyist Four Post Lift ALI Certified



HIGHLIGHTS

- **ALI Certified**
- **8,000 lb. Capacity**
- **Atlas Powder Coat Finish**
- **Single Point Lock Release**
- **Lock Ladder Design**
- **Double Lock Safety System**
- **Anchor Bolts Optional (Sold Separately)**
- **Steel Approach Ramps (Included)**
- **Four Wheel Stops (Included)**
- **Two Rubber Wheel Chocks (Included)**
- **Caster Kit With Polyurethane Wheels (Included)**
- **Drip Trays (Included)**
- **Jack Trays (Included)**
- **Perfect For Storing Or Working On Vehicles**
- **Shipping Weight: 1,800 lbs.**



SPECIFICATIONS

Lifting Height - **84.61"**

Overall Width (Without Motor) - **103.19"**

Overall Width (With Motor) - **112.83"**

Length Between Columns - **166.73"**

Overall Length with Approach Ramps - **222.83"**

Overall Length without Approach Ramps - **189.96"**

Approach Ramps - **37.48"**

Total Runway Width - **21.26"**

Runway Length - **180.32"**

Runway Thickness - **5.08"**

Width Between Runways - **37.95"**

Width Between Runway Rails - **32.83"**

Outside Runway to Outside Runway - **75.35"**

Clearance Under Runways - **79.53"**

Clearance Between Columns - **83.90"**

Base of Column - **9.00"**

Height of Columns - **99.21"**

Maximum Wheel Base - **168.32"**


Cable Diameter - **.350"**


Gauge Of Steel - **6 Gauge (.1875" / 3/16" / 4.75mm)**



Motor - **110 Volt - 30 Amp Breaker is Required**

Oil Requirement - **3-5 Gallons AW32/AW46**

Shipping Weight - **2030 LB.**







Included Caster Kit With Polyurethane Wheels
Can Be Installed Or Removed In Minutes

Do NOT Move Your Lift With A Vehicle On The Runway



Free Wheel Chocks Included