



12806 170 Street, Unit 16 Edmonton, AB T5L 1H7 Phone: 780-628-0845 www.quantumlift.ca



ATLAS Garage Pro 8000 EXT-L Four Post Lift (EXTRA TALL, EXTRA LONG) 8,000lbs Capacity





HIGHLIGHTS

- 8,000 lb. Capacity
- Diamond Plated Runways
- Atlas Powder Coat Finish
- Lock Ladder Design
- Single Point Lock Release
- Four Wheel Stops Included
- Double Lock Safety System
- Three Drip Trays Included
- Steel Approach Ramps (Included)
- Anchor Bolts Optional (Sold Separately)
- Caster Kit With Polyurethane Wheels (Included)
- Steel Jack Tray (Included)
- Rubber Wheel Chocks (Included)
- Drip trays (Included)
- 2 Year Structural, 1 Year Hydraulic Warranty
- Perfect For Storing Or Working On Vehicles
- Shipping Weight: 1,900 lbs.

Included Accessories






Atlas Garage Pro 8000 EXT-L Specifications

- Capacity 8,000 LB
- Lifting Height 84 ½" (7' ½")
- Overall Width (Without Motor) 108" (9')
- Overall Width (With Motor) 116 ½" (9' 8 ½")
- Length Between Columns 176 ½" (14' 8 ½")
- Overall Length with Approach Ramps 227" (18' 11")
- Overall Length without Approach Ramps 195" (16' 3")
- Approach Ramps 36 3/4" (3' 3/4") x 19 5/8" (1' 7 5/8")
- Total Runway Width 22" (1' 10")
- Runway Length 185" (15' 5")
- Runway Thickness 4 ½"
- Width Between Runways 38" (3' 2")
- Width Between Runway Rails 34" (2' 10")
- Outside Runway to Outside Runway 77 3/4" (6' 5 3/4")
- Clearance Under Runways Max 80" (6' 8")
- Size of Column 6 1/4" x 3 3/8"
- Clearance Between Columns 98" (8' 2")
- Base of Column 9 5/8" x 11 ½"
- **Height of Columns** 97 ½" (8' 1 ½"); 100" (8' 4") with Bolts
- Maximum Wheel Base 173" (14' 5")
- Drive Thru (Outside of tire to outside of tire) 84" (7')
- Cable Diameter .350"
- Gauge Of Steel 6 Gauge (.1875"/ 3/16" / 4.75mm)
- \bullet Motor 110 Volt
- Oil Requirement 3-5 Gallons AW32/AW46
- Shipping Weight 1,900 LB.





Overall Length Without Approach Ramps 195" (16' 3")

