



12806 170 Street, Unit 16 Edmonton, AB T5L 1H7
Phone: 780-628-0845 www.quantumlift.ca

APEX8-EXT


Extra Tall Four Post Lift


ALI CERTIFIED



HIGHLIGHTS


- ALI Certified
- 8,000 lb. Capacity
- Atlas Powder Coat Finish
- Single Point Lock Release
- Lock Ladder Design
- Double Lock Safety System
- Anchor Bolts Optional (Sold Separately)
- Steel Approach Ramps (Included)
- Caster Kit With Polyurethane Wheels (Included)
- Drip Trays (Included)
- Jack Trays (Not Included)
- Four Wheel Stops (Included)
- Two Rubber Wheel Chocks (Included)
- Perfect For Storing Or Working On Vehicles
- Shipping Weight: 1,984 lbs.





SPECIFICATIONS

Capacity	8,000 LB.
Lifting Height	92.28
Overall Width (Without Motor)	103.19
Overall Width (With Motor)	114.72
Length Between Columns	151.77
Overall Length with Approach Ramps	208.03
Overall Length without Approach Ramps	175
Approach Ramps	37.52
Total Runway Width	21.26
Runway Length	165.35
Runway Thickness	5.08
Width Between Runways	37.95
Width Between Runway Rails	32.83
Outside Runway to Outside Runway	75.35
Clearance Under Runways	87.20
Size of Column	9.65
Clearance Between Columns	83.90
Base of Column	9.65
Height of Columns	99.21
Maximum Wheel Base	153.35
Drive Thru (Outside of tire to outside of tire)	83.90
Cable Diameter	.350"
Gauge Of Steel	6 Gauge (.1875" / 3/16" / 4.75mm)
Motor	110 Volt - 30 Amp Breaker is Required
Oil Requirement	3-5 Gallons AW32/AW46
Shipping Weight	1,984 LB.



Free Wheel Chocks Included



Included Caster Kit With Polyurethane Wheels
Can Be Installed Or Removed In Minutes

Do NOT Move Your Lift With A Vehicle On The Runway

LIFT LAYOUT

All measurements are in millimeters

