



Quantum
Lift

12806 170 Street, Unit 16 Edmonton, AB T5L 1H7
Phone: 780-628-0845 www.quantumlift.ca

Apex 9 ALI Certified Hobbyist 9,000 Lb. Capacity Four Post Parking Lift





Features:

- ALI Certified
- 9,000 lb. Capacity
- Atlas Powder Coat Finish
- Single Point Lock Release
- Lock Ladder Design
- Double Lock Safety System
- Anchor Bolts Optional (Sold Separately)
- Four Wheel Stops (Included)
- Two Rubber Wheel Chocks (Included)
- Caster Kit with Polyurethane Wheels (Included)
- Drip Trays (Included)
- Jack Tray (Included)
- Perfect For Storing Or Working On Vehicles
- Shipping Weight: 2,975 lbs.



Specifications:

Capacity - 9,000 lb.

Lifting Height To Top of Runway (On Locks) - 80 7/8" (6' 8 7/8")

Clearance Under Runways - 75 1/2" (6' 3 1/2")

Height of Columns (Including Nuts) - 103 1/4" (8' 7 1/4")

Overall Width (Without Motor or Casters) - 121 7/8" (10' 1 7/8")

Overall Width (With Motor) - 133 7/8" (11' 1 7/8")

Overall Length without Approach Ramps Or Lock Release Bar - 204 1/8" (17' 1/8")

Overall Length with Approach Ramps (Including Lock Release Bar) - 243" (20' 3")

Approach Ramps - 31 1/2"

Runway Width - 20 1/8"

Runway Rail Width - 2 1/8"

Runway Length - 188 1/2" (15' 8 1/2")

Runway Thickness - 4 7/8"

Width Between Runways - 38 7/8"

Width Between Runway Rails - 34 3/4"

Outside Runway to Outside Runway - 79 1/8" (6' 7 1/8")

Size of Column - 7 5/8" x 4 5/8"

Clearance Between Columns - 108 1/8" (9' 1/8")

Length Between Columns - 184 1/4" (15' 4 1/4")

Base of Column - 11 5/8" x 11 5/8"

Maximum Wheel Base - 194" (16' 2")

Drive Thru (Outside of tire to outside of tire) - 97" (8' 1")

Cable Diameter - 7/16" (.4375")


Gauge of Steel - 6 Gauge (.1875" / 3/16" / 4.75mm)



Motor/Electrical Requirement - 110 Volt, Single (1) Phase;



A 30 amp Breaker Is Recommended

Oil Requirement - 2.6 Gallons AW32/AW46

Shipping Weight - 2,975 lb.







Free Wheel Chocks Included



Shipping Dimensions

Atlas Apex 9 Four Post Lift
Ready To Ship Or Be Picked Up



Shipping Weight: 2975 LBS

WARRANTY

5 Year Structural & 2 Year Hydraulic Warranty This Atlas[®] product is warranted for five (5) years on structural components two (2) years on hydraulics, and one (1) year on electric or air / hydraulic power units effective from date of invoice. Wear items carry a 90 day warranty. Our LIMITED warranty policy does not include a labor warranty